

EVERGREEN COMPLY

California Hazardous Waste Generator Training

Regulatory Crosswalk

Topic or Requirement	Regulatory Citation	Plain-English Requirement
Hazardous-waste determination	22 CCR 66262.11	Determine whether a material is a hazardous waste at its point of generation, before dilution, mixing, or other alteration, by resolving exclusions, listings, Appendix X, and applicable characteristics through acceptable knowledge or testing. Keep the supporting determination record.
California toxicity characteristics	22 CCR 66261.24	Evaluate every applicable California toxicity route, including total and soluble threshold concentrations, acute oral, dermal, and gas-or-vapor inhalation criteria, aquatic toxicity, carcinogenicity, and other qualifying test or experience evidence.
Extremely hazardous waste	22 CCR 66261.110 and Appendix X to chapter 11	Check Appendix X and the extremely-hazardous-waste criteria separately from the federal acute-hazardous-waste rules because the categories and quantity consequences are not interchangeable.
Plant and cannabis waste aquatic-toxicity exclusion	Cal. Health & Safety Code 25141.5.1	Apply the exclusion only when the material meets the statutory plant-waste or cannabis-waste definition and acute aquatic toxicity is the only hazardous-waste characteristic it exhibits.
Generator category determination	22 CCR 66262.13	Determine the applicable generator category for each calendar month using the required counting rules and the quantities of non-acute, acute, and extremely hazardous waste generated.
California identification numbers	22 CCR 66262.18; Cal. Health & Safety Code 25205.16	Obtain and use the required federal or California identification number before regulated hazardous-waste activities unless a specific exception applies.
Satellite accumulation	22 CCR 66262.15	Accumulate only within the aggregate satellite-area limits, at or near the point of generation and under operator control, in compliant containers. Date the applicable trigger and move excess waste within three consecutive calendar days.
SQG central accumulation	22 CCR 66262.16	A small quantity generator may accumulate under the conditional exemption only while meeting the applicable quantity cap, 180-day or eligible 270-day time limit, container or tank standards, labeling, emergency, employee-familiarity, and shipment conditions.
LQG central accumulation	22 CCR 66262.17	A large quantity generator may accumulate under the conditional exemption only while meeting the 90-day time limit and applicable container, tank, labeling, preparedness, contingency-plan, personnel-training, and shipment conditions.
California accumulation extensions	22 CCR 66262.16(d), 66262.17(b), and 66262.35	Use the correct extension route for the waste and circumstances. The Department may grant the specified case-specific extension, while eligible non-RCRA or RCRA-exempt waste may receive the separate conditional extension only when every notice, certification, timing, and management condition is met.

Topic or Requirement	Regulatory Citation	Plain-English Requirement
Container condition and compatibility	22 CCR 66262.16(b)(2) and 66262.17(a)(1)	Use containers in good condition and compatible with their waste, keep them closed except during allowed operations, separate incompatible materials, inspect central accumulation containers at least weekly, and correct leaks or deterioration.
California accumulation labels	22 CCR 66262.16(b)(4) and 66262.17(a)(5)	Mark accumulation containers and tanks with the required hazardous-waste wording, composition and physical-state information, hazard indication, generator name and address, and applicable accumulation dates.
SQG and LQG tank controls	22 CCR 66262.16(b)(3) and 66262.17(a)(2)	Operate and inspect tanks under the category-specific integrity, compatibility, freeboard, feed-control, containment, monitoring, response, and closure conditions. Use an alternate SQG weekly schedule only when all stated prerequisites and documentation are present.
Manifest use and designated facility	22 CCR 66262.20-66262.25; 40 CFR part 262 subpart B	Prepare and use the required manifest, designate an authorized receiving facility, obtain required signatures, give copies to the parties in the required sequence, and retain the generator record.
California paper-manifest copy	22 CCR 66262.23(a)(4)	For an applicable paper manifest, submit a legible copy signed by the generator and initial transporter to DTSC within 30 days of shipment; apply the current fully electronic-manifest exception when all conditions are met.
e-Manifest generator participation	40 CFR 262.10(a)(6), 262.42, and part 264 subpart FF	Maintain the required e-Manifest account and permissions for covered generator sites, access and correct final signed manifests as required, and submit covered federal exception reports electronically on the current timetable.
Registered hazardous-waste transporter	Cal. Health & Safety Code 25163	Tender hazardous waste only to a transporter holding the required current registration and identification number unless a specific statutory exception applies.
California exception reports	22 CCR 66262.42	Track receiving-facility confirmation, investigate at the applicable checkpoint, and submit the applicable California exception report to DTSC on the 45-day or limited 60-day route. Apply the federal e-Manifest exception-report duty separately when it also applies.
Generator record retention	22 CCR 66262.40	Retain required manifests, reports, test results, waste analyses, and determination records for the specified three-year periods, measured from the applicable regulatory event, and extend retention during unresolved enforcement or when requested by the Director.
SQG preparedness and emergency procedures	22 CCR 66262.16(b)(6)-(7)	Maintain required equipment, access, aisle space, responder arrangements, emergency coordinator coverage, postings, employee familiarity, and category-specific fire, spill, outside-threat, and surface-water response and notification procedures.
LQG contingency planning	22 CCR 66262.17(a)(6) and 66262.250-66262.265	Maintain and distribute the required contingency plan and quick reference guide, designate coordinators, make emergency arrangements, implement the plan when triggered, complete response and recovery duties, document the incident, and submit the required 15-day report.
California release notification	Cal. Health & Safety Code 25510	Immediately report a qualifying release or threatened release to the unified program agency and Cal OES, and make any separately required federal or local notification.

Topic or Requirement	Regulatory Citation	Plain-English Requirement
Universal-waste handler status	22 CCR 66273.6, 66273.36, 66273.39, and 66273.40	Determine small- or large-quantity-handler status using the 5,000-kilogram threshold and meet the applicable notification, identification-number, employee information or training, shipment-tracking, and record-retention requirements.
Used-oil qualification	Cal. Health & Safety Code 25250.1; 22 CCR chapter 29	Confirm that material meets California's used-oil definition and does not fall within a flash-point, PCB, total-halogen, hazardous-waste-mixture, or other exclusion before using a used-oil management or transport pathway.
Onsite hazardous-waste treatment	Cal. Health & Safety Code 25200 et seq.	Do not treat hazardous waste onsite without the permit, grant of authorization, conditional authorization, conditional exemption, or other specific authority applicable to the waste, process, equipment, quantity, and location.
SQG employee familiarity	22 CCR 66262.16(b)(7)(C)	Ensure employees are thoroughly familiar with proper waste handling and emergency procedures relevant to their responsibilities during normal operations and emergencies.
LQG personnel training program	22 CCR 66262.17(a)(7)(A)-(C)	Use a directed program matched to each position, complete initial or new-position training within six months, prevent unsupervised work before completion, conduct annual review, and repeat required general-awareness and function-specific training every 24 months.
LQG training documentation and retention	22 CCR 66262.17(a)(7)(D)-(E)	Maintain job titles and employee names, written job descriptions, the type and amount of introductory and continuing training, and employee-signed or employee-certified completion records. Retain current-personnel records until closure and former-personnel records for at least three years.
Shipping-personnel DOT training	22 CCR 66262.17(a)(7)(A)1; 49 CFR 172.704	Provide responsibility-commensurate DOT hazardous-materials training to covered personnel engaged in shipping hazardous waste, including recurring training at least every three years and any separately triggered update.
Interim-status facility personnel training	22 CCR 66265.16	A facility subject to the interim-status personnel-training rule must maintain its separate directed program, emergency-procedure content, initial and annual training, and records. Generator training under 22 CCR 66262.16 or 66262.17 does not replace this facility rule when it independently applies.